Attorney Docket No. 03448/LH

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Y. KAWAMURA et al.

Serial No. : 10/628,924

Filed : July 28, 2003

For : COMPACT CHEMICAL REACTOR AND

COMPACT REACTION SYSTEM

Art Unit : 1764

Examiner : BHAT, NINA NMN

INFORMATION DISCLOSURE STATEMENT WITH STATEMENT UNDER 37 CFR 1.97(e)

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

SIR:

Submitted herewith are the following:

- Copy of a Japanese Office Action dated May 9, 2006 (and English translation thereof) issued in a related counterpart Japanese application;
- (2) Copies of cited publications; and
- (3) Form PTO/SB/08A.

An English translation of said Japanese Office Action is provided, thereby satisfying the requirements for a concise explanation of relevance for any non-English language publications cited therein (MPEP 609 III A(3)).

This paper is being submitted wia EFS-Web on June 19, 2006

In the event that this Paper is late filed, and the necessary petition for extension of time is not filed concurrently herewith, please consider this as a Petition for the requisite extension of time, and to the extension of time, and to the authorization to charge the

extent not already paid, authorization to charge the extension fee to Account No. 06-1378. In addition, authorization is hereby given to charge any fees for which payment has not been submitted, or to credit any overpayments, to Account No. 06-1378.

STATEMENT UNDER 37 CFR 1.97(e)(1)

Each item of information contained in this Information Disclosure Statement was first cited in any communication from foreign patent offices in counterpart foreign applications not more than three months prior to the filing of the present Information Disclosure Statement. Said Communication bears a mailing date of May 9, 2006. Therefore, the filing of this Information Disclosure Statement is timely under the provisions of 37 CFR 1.97(e) and does not require a fee.

It is requested that an initialed copy of the Form PTO/SB/08A be returned to indicate that the publications listed therein have been considered and made of record.

NOT A RESPONSE TO OFFICE ACTION

This paper is <u>not</u> a response to the outstanding Office Action mailed April 17, 2006. A response to said outstanding Office Action will be timely filed in due course.

Respectfully submitted

Leonard Moltz, sq Req. No. 22,97

Encls.

Dated: June 19, 2006

FRISHAUF HOLTZ GOODMAN & CHICK, P.C.

220 FIFTH AVENUE NEW YORK, N.Y. 10001-7708

Tel. No. (212) 319-4900 Fax No. (212) 319-5101

LH:nps

INFORMATION DISCLOSURE STATEMENT BY APPLICANT					Filing Date			Suly 20, 2003			
					First Named Inventor			Y. KAWAMURA			
					Group Art Unit			1764			
					Examiner Name			BHAT, NINA NMN			
Sheet 1 of 1					Attorney Docket Number			03448/LH			
				U.S	S. PATE	NT DOCUMENTS					
Exam. Inits*	Citig No ¹	Document Number			Kind Code ²	Name of Patentee or Applicant		Publication Date	Relevant Portion		
					T					\neg	
									1		
	1					İ					
										I	
								1			
				FORE	1011 041		\vdash				
FOREIGN PATENT DOCUMENTS											
Exam Inits	Cite No ¹	One Document Number ⁴		Kind Code ⁵	Name of Patentee or Applicant		Publication Date MM-DD-YYYY	Relevant Portion	т		
		JP	2-17253	8	Α			07-04-1990			
		JP	6-23391	8	A			08-23-1994			
		JP	2000-50	6432	A			05-30-2000			
		JP	2002-18	271	A			01-22-2002			
		wo	02/2432	2	A2			03-28-2002			
	l	l	l		- 1	I	- 1				

Application Number

PTO/SB/08A (08-00)

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

1.1.00.0000

Considered

Urique distion designation number. *See kinds of U.S. Patient Documents. *Enter Office that issued the document, by the two-kitter code (WPO Standart ST.3). *For Apparets patient document, by the indication of the year of the reign of the Engenor must proceed the sents number of the patient document. *Vanid of document by the appropriate symbox as indicated on the document under WFO Standard ST. (if it grossible. *Place a chock here *English transition is register to a chock there *English transition is register.*

Examiner Signature

Please type a plus sign (+) inside this box >

Substitute for Form 1449A/PTO

Stigl installer

EXAMPLEY: Pithal if reference considered, whether or not classon is in conformance with MPCP 600. Draw line through classon into in conformance and not considered, include copy of this form with next communication to applicant.